

INDEX MAPS.

T.25N. R.9E. 2nd Mer.

	75		75		75		74		74		74	
77	6	96	5	91	4	88	3	84	2	81	1	73
	96		95		91		87		84		80	
77	7	95	8	91	9	87	10	84	11	80	12	73
	95		95		90		87		83		80	
77	18	94	17	90	16	87	15	83	14	79	13	73
	94		94		90		86		83		79	
76	19	93	20	89	21	86	22	82	23	79	24	73
	93		93		89		85		82		79	
76	30	92	29	89	28	85	27	82	26	78	25	72
	92		92		88		85		81		78	
76	31	92	32	88	33	85	34	81	35	78	36	72
	92		92		88		85		81		78	
	72		72		71		71		71		71	

T.26N. R.9E. 2nd Mer.

	102L		103		103		103		102		102	
105	6	130	5	124	4	119	3	115	2	110	1	102
	130		129		123		119		114		110	
105	7	129	8	123	9	118	10	114	11	109	12	102
	129		128		123		118		113		109	
105	18	128	17	122	16	117	15	113	14	108	13	101
	127		127		122		117		113		108	
105	19	127	20	121	21	117	22	112	23	107	24	101
	126		126		121		116		112		107	
104	30	125	29	121	28	116	27	111	26	107	25	101
	125		125		120		115		111		106	
104	31	124	32	120	33	115	34	111	35	106	36	100
	100		100		100		99		99		99	

Meadow of Salomani R. 131

Township 26 North, Range 9 East, 2nd Mer. Ind. 99

South Boundary

Var. 6° 30' E.

West on S. Side of Sec. 36-

7.50 an Elm 18 in. dia.

40.00 Let gr. Sec. Post from which
an Oak 18 in. dia. bears S 79 E 11 W. dist. 7
at Beech 13 " " " N 60 E 47 " "

63.20 an Oak 24 " "

80.00 Let Post cn. to Sect. 35 & 36 from which
an Oak 36 in. dia. bears N 21 E 18 W. dist. 7
an Ash 7 " " " S 40 W 3 " "
Over good farming land. Timber Beech.
Sugar. Ash. Oak &c. ungt. Spruce.

West on S. Side of Sec. 35

13.00 an Oak 18 in. dia.

40.00 Let gr. Sec. Post from which
an Ash 8 in. dia. bears S 78 E 4 W. dist. 7
an Elm 10 " " " S 80 W 18 " "

37.70 an Oak 14 " "

80.00 Let Post cn. to Sect. 34 & 35 from which
an Ironwood 8 in. dia. bears N 30 E 2 W. dist. 7
at Beech 18 " " " S 49 W 23 " "
Land. Timber &c. Same as on the last line.

West on S. Side of Sec. 34.

22.90 at Beech 10 in. dia.

40.00 Let gr. Sec. post from which
a Hickory 22 in. dia. bears S 15 E 8 W. dist. 7
at Beech 14 " " " N 24 W 12 " "

32.35 an Ash 16 " "

80.00 Let Post cn. to Sect. 33 & 34 from which
a Hickory 18 in. dia. bears S 65 E 15 W. dist. 7
an Ash 11 " " " N 50 W 13 " "
Land. Timber &c. Same as on the last line.

T. 26 N. - R. 9 E. 2nd Mer. Indiana

West on S. Side of Sec. 33 -

10.00 Enter a Swamp

40.00 Set gr. sec. post from which
an Oak 7 in. dia. bears N 34 E 9 1/2 W. dir. 1/2
a Do 7 " " " S 22 W 9 " "

50.80 at Beech 12 " "

75.00 Dry Land.

80.00 Set Post Cr. to Secs. 32 & 33 from which
a Beech 10 in. dia. bears S 26 E 13 1/2 W. dir. 1/2
a Do 10 " " " S 13 W 46 " "
Over swampy land. Timber Ash &c

West on S. Side of Sec. 32

16.25 at Beech 14 in. dia.

40.00 Set gr. sec. post from which
an Oak 8 in. dia. bears S 58 E 8 1/2 W. dir. 1/2
a Hickory 7 " " " S 33 W 5 " "

44.00 Enter a Swamp corner S. W. & N. E.

80.00 Set Post Cr. to Secs. 31 & 33 from which
a Hickory 6 in. dia. bears N 78 E 3 1/2 W. dir. 1/2
an Oak 14 " " " S 32 W 30 " "
Land & Timber same as on the last line.

West on S. Side of Sec. 31

8.55 an Aspen 12 in. dia.

40.00 Set gr. sec. post from which
a Hickory 6 in. dia. bears N 64 E 18 1/2 W. dir. 1/2
a Sugar 18 " " " S 57 W 32 " "

74.33 To Post Cr. of Towns 25 & 26 N. R. 8 & 9 East
an Oak 9 1/2 in. dia. bears N 5 W 17 1/2 W. dir. 1/2
a Do 12 " " " S 27 E 10 " "

Land & Timber same as in the last line -

East Boundary

Var.

North on E. Side of Sec. 36

T. D. N. R. G. E. 2nd Mer. Indiana. 101

40.00 Let gr. sec. post from which
 a Beech 12 in. dia. bears N 9 E 11 W. dist. 8
 an Ironwood 10 " " " N 41 W 7 " "
 80.00 Let post cn. to Sec. 23 & 36 from which
 a Beech 24 in. dia. bears N 3 W 25 W. dist. 8
 a Do 18 " " " N 3 W 30 " "
 Land rich. Timber Beech. Sugar &c

North on E. Side of Sec. 25
 32.00 at Branch 15 W. wide Corn N. E.
 40.00 Let gr. sec. post from which
 a Beech 18 in. dia. bears N 73 W 19 W. dist. 8
 a Do 12 " " " S 69 E 21 " "
 80.00 Let post cn. to Sec. 24 & 25 from which
 a Beech 36 in. dia. bears S 58 W 26 W. dist. 8
 a Do 24 " " " S 44 E 21 " "
 Land & Timber same as in the last line.

North on E. Side of Sec. 24
 40.00 Let gr. sec. post from which
 a Beech 12 in. dia. bears N 12 E 18 W. dist. 8
 a Do 12 " " " S 78 E 19 " "
 75.00 To Salamander River -
 80.00 Let post cn. to Sec. 13 & 24 from which
 a Lycamore 36 in. dia. bears N 11 W 20 W. dist.
 a Buckeye 12 " " " S 68 E 35 " "
 Land & Timber same as in the last line -

North on E. Side of Sec. 13
 40.00 Let gr. sec. post from which
 a Hickory 12 in. dia. bears N 76 E 35 W. dist. 8
 a Beech 12 " " " N 87 W 17 " "
 46.00 a Creek 25 W. wide Corn N. W.
 80.00 Let post cn. to Sec. 12 & 13 from which
 a Beech 12 in. dia. bears N 53 W 4 W. dist. 8
 a Do 24 " " " N 57 E 24 " "

T. D. N. R. G. E. 2nd Mer. Indiana

Sand 1st Nat. Timber Beech. Sugar. Ash &
undergrowth Spiced.

North on E. Side of Sec. 13

40.00 Let gr. sec. Post from which

a Beech 18 in. dia. bears N 65 E 21 W. dir. &

a Do 8 " " " N 29 W 16 " "

80.00 Let Post cor. to Sec. 14 & 12 from which

a Beech 24 in. dia. bears N 9 W 13 W. dir. &

a Do 24 " " " N 2 W 30 " "

Sand. Timber for same as on the last line.

North on E. Side of Sec. 1

40.00 Let gr. sec. Post from which

an Elmwood 8 in. dia. bears N 81 E 14 W. dir. &

an Ash 24 " " " N 61 E 6 " "

80.00 Let Post cor. to Towns 26 & 27 North. Range 9 & 10 E.

a Beech 12 in. dia. bears N 43 E 19 W. dir. &

a Do 36 " " " West 25 " "

Sand & Timber same as on the last line.

North Boundary

West on S. Side of Sec. 36 T. 27 N. R. 9 E. Var. 6° 20' E.

33.50 at Brook 15 W. wide corner S. W.

40.00 Let gr. sec. Post from which

a Beech 12 in. dia. bears N 66 E 14 W. dir. &

a Hickory 18 " " " N 4 W 6 " "

51.00 a Beech 20 " "

80.00 Let Post cor. to Sec. 35 & 36 from which

a Beech 18 in. dia. bears N 86 W 27 W. dir. &

an Ash 18 " " " N 38 E 9 " "

Rich Sand. Timber Beech. Ash &c

West on S. Side of Sec. 35 T. 27 N. R. 9 E.

31.00 at Brook 25 W. wide corner S. W.

T. D. N. - R. G. E. 2nd Mer. Indiana. 103

- 40.00 Let gr. sec. Post from which
a Sugar 11 in. dia. bears $\text{N } 33 \text{ E } 13 \text{ W. dist. } 8$
an Ash 8 " " " $\text{N } 35 \text{ W } 52$ " "
- 42.77 a Hickory 12 " "
- 80.00 Let Post cn. to Sec. 34 & 35 from which
a Beech 18 in. dia. bears $\text{N } 74 \text{ E } 10 \text{ W. dist. } 8$
an Elm 24 " " " $\text{N } 78 \text{ W } 39$ " "
Land & Timber same as on the last line.

-
- West on S. Side of Sec. 34 T. 27 N. - R. 9 E.
13.78 a Cherry 24 in. dia.
35.00 a Brook 35 W. wide Course S. W.
40.00 Let gr. sec. Post from which
a Beech 28 in. dia. bears $\text{N } 30 \text{ W } 30 \text{ W. dist. } 8$
a Sugar 15 " " " $\text{S } 17 \text{ E } 39$ " "
- 76.00 Salamanic River 200 W. wide Course S. W.
80.00 Let Post cn. to Sec. 33 & 34 from which
a Walnut 30 in. dia. bears $\text{N } 70 \text{ W } 10 \text{ W. dist. } 8$
a Buckeye 12 " " " $\text{N } 89 \text{ E } 17$ " "
Rich land. Timber Beech. Ash. Sugar &c
April 1st 1826

-
- West on S. Side of Sec. 33 T. 27 N. R. 9 E.
34.79 a Beech 14 in. dia.
40.00 Let gr. sec. Post from which
a Beech 22 in. dia. bears $\text{N } 60 \text{ E } 10 \text{ W. dist. } 8$
an Elm 14 " " " $\text{S } 64 \text{ W } 39$ " "
- 57.00 Salamanic River Course West.
80.00 Let Post cn. to Sec. 32 & 33 in the River
an Aspen 4 in. dia. bears West $161 \text{ W. dist. } 8$
a W. Oak 20 " " " $\text{S } 6 \text{ W } 125$ " "
Land & Timber same as on the last line.

-
- West on S. Side of Sec. 32 T. 27 N. R. 9 E.
3.65 a W. Oak 36 in. dia.
40.00 Let gr. sec. Post from which

T. 26 N. - R. 9 E. 2nd Meridian

- a W. Oak 10 in dia. bears N 19 E 3 1/2 W. dist. 7
 a Do 10 " " " S 22 E 10 " "
 75.50 a Creek 50 W. wide runs North
 80.00 Set post cor. to Sec. 31 & 32 from which
 a Beech 24 in. dia. bears N 84 E 31 W. dist. 7
 a Sugar 20 " " " S 6 E 26 " "
 Land & Timber same as on the last line.

- West on E. Side of Sec. 31 T. 27 N. - R. 9 E.
 30.76 a Beech 10 in. dia.
 40.00 Set gr. sec. post from which
 an Ash 15 in. dia. bears N 80 E 31 W. dist. 7
 a Beech 14 " " " S 8 W 19 " "
 75.48 Intersect N. Bound. line at Post
 Rich land. Timber Beech. Ash &c.

West Boundary

- Var. 6° 15' E.
 North on E. Side of Sec. 36 T. 26 N. - R. 8 E.
 40.00 Set gr. sec. post from which
 a Sugar 14 in. dia. bears S 6 E 29 W. dist. 7
 a Beech 18 " " " N 18 W 34 " "
 35.50 a Do 18 " "
 80.00 Set post cor. to Sec. 25 & 36 from which
 an Elm 18 in. dia. bears S 6 E 20 W. dist. 7
 a Do 24 " " " N 12 E 24 " "
 Rich land. Timber Beech. Elm. Ash &c

- North on E. Side of Sec. 25 - T. 26 N. - R. 8 E.
 40.00 Set gr. sec. post from which
 a Beech 18 in. dia. bears S 30 E 16 W. dist. 7
 an Ash 20 " " " N 60 W 6 " "
 80.00 Set post cor. to Sec. 24 & 25 from which
 a Beech 30 in. dia. bears S 70 W 30 W. dist. 7
 a Do 18 " " " N 64 E 28 " "
 Land & Timber same as on the last line.

T. 26 N. R. 9 E. 2nd Mer. Indiana. 105

North on E. Side of Sec. 24 T. 26 N. R. 9 E.
21.25 a Hickory 18 in. dia.

40.00 Let gr. Sec. post from which
at Beech 8 in. dia. bears S 30 W or W. dir. &
a Do 10 " " " N 35 W 23 " "

71.03 a Do 18 " "

80.00 Let post Cn. to Secs. 13 & 24 from which
at Buckeye 5 in. dia. bears N 28 E 27 W. dir. &
at Beech 13 " " " S 49 E 16 " "
Sand & Timber same as on the last line.

North on E. Side of Sec. 13 T. 26 N. R. 8 E.

14.25 a Cherry 24 in. dia.

40.00 Let gr. Sec. post from which
a W. Oak 20 in. dia. bears S 45 E or W. dir. &
an Ash 8 " " " N 54 W 28 " "

80.00 Let post Cn. to Secs. 12 & 13 from which
a Sugar 20 in. dia. bears S 40 W 31 W. dir. &
a Beech 10 " " " N 43 E 14 " "

Rich land. Timber Walnut, Oak, Sugar, Beech &c.

North on E. Side of Sec. 12 T. 26 N. R. 8 E.

23.00 a creek 50 W. wide Course N.W.

40.00 Let gr. Sec. post from which
a Sugar 8 in. dia. bears S 35 E 4 W. dir. &
a Do 8 " " " N 75 W 14 " "

67.00 a creek 50 W. wide Course N.E.

69.00 a Spruce 12 in. dia.

80.00 Let post Cn. to Secs. 14 & 12 from which
a Spruce 7 in. dia. bears S 38 W 28 W. dir. &
at Beech 4 " " " N 87 W 17 " "

Sand & Timber same as on the last line.

North on E. Side of Sec. 1 T. 26 N. R. 8 E.

50 a creek 50 W. wide Course N.W.

21.00 Do 53 " " " N.E.

40.00 Set gr. sec. post from which
 a Beech 16 in. dia. bears N 44 E 5 1/2 W. dist. 8
 a Buckeye 6 " " " N 28 W 11 " "
 56.62 a Sugar 15 " "
 80.94 Set post cen. to Townships 26 & 27 North,
 Ranges 8 & 9 East, from which
 a Sugar 18 in. dia. bears S 9 W 23 W. dist. 8
 a Poplar 36 " " " S 75 W 34 " "
 Richland, Timbo Beech Oak. Sugar &c
 April 2nd 1820 Surveyed by
 John McDonald D.S.

Subdivision

North Between Secs. 35 & 36 -

25.80 a W. Oak 36 in. dia.

40.00 Set gr. sec. post from which

a B. Oak 12 in. dia. bears N 88 E 3 1/2 W. dist. 8

a B. Oak 33 " " " N 13 W 35 " "

62.72 a Poplar 16 " "

80.00 Set post cen. to Secs. 25, 26, 35 & 36 from which

a Buckeye 7 in. dia. bears S 40 W 14 W. dist. 8

a R. Elm 16 " " " S 82 E 3 " "

Sand lens 2nd rate. Timbo Ash. Oak. Elm.
 Beech. Hickory &c. Ungth. Spruce. Ash &c.

East on Random between Secs. 25 & 36 -

3.00 Enter a Wet Prairie

9.00 Leave the Do

40.00 Set temp. gr. sec. post.

54.00 Margin of a Plum thicket

59.00 Leave Do

81.22 Intersect E. Bound. line 246 W. E. of Post -

Sand lens 2nd rate. Timbo Oak. Ash. Elm.
 Beech. Hickory &c. Ungth. Spruce. P. Ash.
 Ironwood &c.

T. D. N. - W. G. E. 2nd Mer. Indiana. 107

West corner between Secs. 25 & 26.

30.38 a W. Oak 30 in. dia.

40.61 Set gp. sec. post at average dist. from which
a Beech 24 in. dia. has N 58 W 4 lb. dist. x
a W. Oak 20 " " " S 31 E 36 " "

61.94 a Do 20 " "

81.22 To Sec. Corner.

North Between Secs. 25 & 26.

24.68 a W. Oak 14 in. dia.

40.00 Set gp. sec. post from which
a Cherry 6 in. dia. has S 26 E 13 lb. dist. x
a W. Oak 14 " " " N 6 W 28 " "

65.97 a Beech 24 " "

80.00 Set post onto Secs. 23, 24, 25 & 26 from which
a Beech 24 in. dia. has S 26 E 6 lb. dist. x
a W. Oak 12 " " " North 25 " "

Sand lent 2nd rate. Beech. Oak. Poplar. Hick-
-ory. Oak. Elm. Spruce. Ironwood &c.

East in Random between Secs. 24 & 25-

40.00 Set temp. gp. sec. post.

78.36 Intersect E. Bound. line 165 lb. S. of Post.
Sand lent 2nd rate Beech. Oak. Oak. Hickory.
Sugar. Spruce. Pawpaw. Ash &c.

West corner between Secs. 24 & 25-

23.03 a Hickory 24 in. dia.

39.18 Set gp. sec. post at average dist. from which
a W. Oak 10 in. dia. has N 7 E 30 lb. dist. x
a Beech 20 " " " S 21 W 1 " "

59.66 a W. Oak 8 " "

78.36 To Sec. Corner.

North Between Secs. 23 & 24

40.00 Set gp. sec. post from which

J. D. N. R. G. E. 2nd Mer. Indiana

a Buckeye 10 in. dia. bears S 9 N 27 W. dist. 8
 a Do 8 " " " N 4 E 13
 40.50 Bed of Stream 25 W. wide.
 60.40 at Beech 22 in. dia.
 80.00 Set post on to Sec. 13, 14, 23 & 24 from which
 a W. Oak 26 in. dia. bears South 30 W. dist. 8
 a Hickory 22 " " " North 10 " "
 Land level 2nd rate. Timber Beech. Oak. Oak.
 Sugar. Hickory &c. Long #. Spruce. Oak.
 Hornbeam. Ironwood &c.

East on Random between Sec. 13 & 24.

39.50 Bed of Stream 25 W. wide
 40.00 Set temp. of Sec. post.
 77.80 " " Post on W. bank of Salamander R.
 80.50 Intersect E. Bound. line I. 72 W. E. of post.
 Land rolling 2nd rate. Timber Beech. Oak.
 Oak. Sugar. Hickory. Long #. Spruce. Ironwood
 &c. June 22nd 1823.

West corner between Sec. 13 & 24.

2.70 Set post on W. bank of Salamander River.
 a W. Oak 8 in. dia. bears N 24 W 17 W. dist. 8
 a Do 10 " " " S 45 E 22 " "
 31.83 at Beech 22 " "
 40.25 Set of Sec. post at carriage dist. from which
 a Beech 22 in. dia. bears N 30 E 23 W. dist. 8
 a W. Oak 22 " " " S 22 W 7 " "
 64.78 at Beech 12 " "
 80.50 To Sec. Corner

North between Sec. 13 & 14

30.94 a Hickory 10 in. dia.
 40.00 Set of Sec. post from which
 an Ironwood 7 in. dia. bears N 76 W 24 W. dist. 8
 a Beech " " " S 76 E 12 " "

J. D. N. R. G. E. 2nd Mr. Indiana. 109

60.16 a Hickory 10 in. dia.

80.00 Set post on Sec. 11. 12. 13 & 14 fr. which
on Ironwood 5 in. dia. has N 41 W 23 W. dir. &

a Beech 18 " " " South 19 " "

Land rolling good 2nd rate. Sugar. Beech.
Ash. Hickory Oak. Spruce. Paw Paw fr.

East on Random between Sec. 12 & 13 -

40.00 Set temp. g. Sec. Post.

61.90 " " Post on W. bank of Salamanca R.

65.10 " " " E. bank of do

81.06 Intersect E. Bound. line 4th W. S. of Post.

Land rolling good 2nd rate. Beech. Sugar.
Buckeye. Spruce. Paw Paw fr

West Corner between Sec. 12 & 13 -

15.96 Set post on E. bank of Salamanca River
a W. Oak 14 in. dia. has S 67 W 5 W. dir. &
a Do 16 " " " N 44 E 11 " "

19.16 Set post on W. bank of River from which
a Beech 24 in. dia. has N 36 W 19 W. dir. &
a W. Elm 8 " " " S 78 E 11 " "

24.76 a Beech 28 " "

40.53 Set g. Sec. Post at a map dir. from which
a Beech 9 in. dia. has S 74 W 24 W. dir. &
a Hickory 26 " " " N 12 E 13 " "

62.87 a Beech 15 " "

81.06 To Sec. Corner.

North Between Sec. 11 & 12

39.21 a Beech 26 in. dia.

40.00 Set g. Sec. Post from which
a Beech 11 in. dia. has N 48 W 31 W. dir. &
a Do 16 " " " S 5 E 40 " "

65.26 a W. Elm 36 " "

68.10 Set post on S. Bank of Salamanca River.

T. D. N. - N. G. E. 2nd Mu. Indiana

a Hickory 7 in. dia. bears S 21 E 12 W. dist. 8
 a Buckeye 9 " " " N 12 W 10 " "
 72.10 on River set post on N. bank from which
 a N. Oak 9 in. dia. bears S 58 E 43 W. dist. 8
 a Do 16 " " " N 33 W 5 " "
 80.00 set post cor. to Sec. 1, 2, 11 & 12 from which
 a Beech 20 in. dia. bears S 51 W 32 W. dist. 8
 a N. Oak 22 " " " N 51 E 34 " "
 Land rolling. from 1/2 mile post to River.
 1st rate. Remains good 2nd rate. Timber
 Beech Sugar. Oak. Oak. Elm. Hickory. Hack-
 berry. Buckeye & ungth Spruce. Paw Paw &
 High bluff banks on N. Bank of River -

East on Random between Sec. 1 & 12 -

40.00 Set temp. gr. sec. post.

81.58 Intersect E. Bound. line 366 W. S. of post

Land level 2nd rate. Timber Oak, Elm, Beech.
 Hickory, Ash & ungth Spruce. Ironwood &.

West Correct between Sec. 1 & 12

23.39 at N. Oak 38 in. dia.

40.79 Set gr. post at arroyo dist. from which

a N. Elm 14 in. dia. bears N 10 E 15 W. dist. 8

a Do 14 " " " S 67 W 17 " "

81.58 To Sec. corner.

North Between Sec. 1 & 2

25.53 at Beech 22 in. dia.

40.00 Set gr. sec. post from which

an Ironwood 6 in. dia. bears S 39 W 3. W. dist. 8

a N. Elm 9 " " " N 7 E 40 " "

56.76 a Hickory 12 " "

87.17 Intersect N. Bound. line 192 W. N. of post.

when set post cor. to Sec. 1 & 2 from which

a Beech 18 in. dia. bears N 83 W 25 W. dist. 8

T. D. N. R. G. E. 2nd Mer. Indiana!!!

a Beech 18 in. dia. bears S 39 E 21 W. dist.
 Land a little rolling 2nd rate. Timber Beech,
 Ash. Oak. Hickory Sugar & ungth Spruce,
 Ironwood &c June 23rd 1823 -

North Between Secs. 34 & 35

10.80 a W. Oak 24 in. dia.

40.00 Set gr. sec. post from which

a Hickory 14 in. dia. bears S 49 W 36 W. dist. &

a B. Oak 30 " " " N 46 E 20 " "

58.90 a W. Elm 12 " "

63.00 Met boggy prairie bordered with Willows.

68.00 Leave Do

80.00 Set post Cu. to Secs. 26, 27, 34 & 35 from which

an Ironwood 4 in. dia. bears N 77 W 36 W. dist. &

a W. Oak 36 " " " S 82 E 7 " "

Land level 2nd rate. Timber Beech, Sugar,

Ash. Oak. Hickory, Elm. Poplar. Ironwood &c

East on Random between Secs. 26 & 35 -

40.00 Set temp. gr. sec. post.

68.00 Enter a thick Willow Swamp.

75.00 Leave the Do

80.40 Intersect W. line 58 W. S. of post

Land level 2nd rate. Part wet. Timber Beech.

Oak. Ash. Elm. Maple. Aspen. Ironwood. P. Oak &c

West corner between Secs. 26 & 35 -

^{22.50}
~~22.50~~ a W. Oak 8 in. dia.

40.20 Set gr. sec. post at angle dir. from which

an Ironwood 4 in. dia. bears S 17 W 20 W. dist. &

a Do 6 " " " N 31 E 26 " "

59.40 a W. Oak 24 " "

80.40 To Sec. Corner.

North Between Secs. 26 & 27 -

- 17.00 a W. Elm 18 in. dia.
 40.00 Set gr. sec. post from which.
 a Beech 13 in. dia. bears N 46 W 36 W. dist.
 a W. Ash 34 " " " North 11 " "
 60.81 a Beech 20 " "
 80.00 Set post Cn. to Secs. 22, 23, 26 & 27 fr. which
 a Beech 11 in. dia. bears N 27 E 40 W. dist.
 a Sugar 14 " " " 55 N 15 " "
 Sand lent 2nd rate. Timber Beech. Ash. Oak.
 Elm. Maple Hickory. Ength. Spruce Ironwood &c

East on Random between Secs. 25 & 26 -

- 40.00 Set temp. gr. sec. post.
 80.20 Intersect. M. line 48 W. S. of post.
 Sand lent 2nd rate. Timber Beech. Sugar.
 Ash. Oak. Elm. Hickory. Poplar & Ength.
 Ironwood. Beech. Pawpaw &c

West corner between Secs. 23 & 26.

- 21.80 a Beech 12 in. dia.
 40.10 Set gr. sec. post at arrage dist. from which
 a W. Ash 18 in. dia. bears S 80 W 30 W. dist.
 a Dogwood 6 " " " N 46 E 28 " "
 68.59 a Beech 14 " "
 80.20 To Sec. corner.

North between Secs. 22 & 23 -

- 14.35 a B. Ash 11 in. dia.
 40.00 Set gr. sec. post from which
 a Beech 12 in. dia. bears N 64 E 21 W. dist.
 a Hickory 12 " " " 55 N 20 " "
 63.37 a Beech 14 " "
 80.00 Set post Cn. to Secs. 14, 15, 22 & 23 from which
 a Hickory 12 in. dia. bears S 88 E 14 W. dist.
 a Beech 30 " " " N 70 W 9 " "
 Sand lent 2nd rate. Timber Beech. Sugar. Ash.

T. D. N. - R. G. E. 2nd Mer. Indian ¹¹³

Elm. Oak. Hickory. Poplar & Spice & Ironwood.

East on Random between Secs. 14 & 23 -

40.00 Set temp. gr. Sec. Post.

80.28 Intersect N. line 5 th. E. of post.

Land lent 2nd rate. Timber Beech. Sugar.

Ash. Elm. Oak. Hickory & ungth Spice.

Ironwood & Sum 22nd 1823 -

West Corner between Secs. 14 & 23 -

22.27 at Beech 12 in. dia.

40.14 Set gr. Sec. Post at arrap dist. from which

a Sugar 12 in. dia. bears N 39° E 17 th. dist. &

a Do 10 " " " 4307 23 " "

68.53 at Beech 14 " "

80.28 To Sec. Corner.

North between Secs. 14 & 15

13.26 on Ironwood 8 in. dia.

40.00 Set gr. Sec. Post from which

a Buckeye 11 in. dia. bears N 77° E 43 th. dist. &

a Beech 8 " " " 1587 23 " "

63.34 a W. Elm 12 " "

80.00 Set post Cuts Secs. 10. 11. 14 & 15 from which

a Beech 9 in. dia. bears E 36° E 10 th. dist. &

a Hickory 7 " " " N 19° W 19 " "

Land lent 2nd rate. Timber Beech. Sugar.

Ash & ungth Spice. Ironwood. Hickory & -

East on Random between Secs. 11 & 14 -

40.00 Set temp. gr. Sec. Post

80.18 Intersect N. line 6 th. E. of post

Land lent 2nd rate. Beech. Sugar. Ash. Elm.

Oak. Poplar & ungth Spice. Ironwood & -

West Corner between Secs. 11 & 14 -

114 T26 N. N. P. G. E. 2nd Mer. Indiana

19.36 at Beech 11 in. dia.
 40.09 Let gp. sec. post at average dir. from which
 a Dogwood 5 in. dia. bears 187 W 40 W. dir. &
 a Do 7 " " " N 71 E 12 " "
 59.12 at Beech 12 " "
 80.18 To Lee. Corner.

North Between Sect. 10 & 11

13.29 at Beech 12 in. dia.
 30.83 Set post on S. Bank of Salamanic River.
 a Sugar 12 in. dia. bears N 8 W 5 W. dir. &
 a Do 14 " " " S 46 E 28 " "
 33.76 on River set post on N. Bank from which
 a Buckeye 11 in. dia. bears 7 N 8 W. dir. &
 a Lym 12 " " " North 21 " "
 40.00 Let gp. sec. post from which
 a Beech 11 in. dia. bears S 68 W 29 W. dir. &
 a Do 10 " " " N 16 - 18 " "
 47.50 a Bayou 75 W. wide corner N.W.
 67.95 at Beech 14 in. dia.
 80.00 Let post C. to Sect. 2, 3, 10 & 11 from which
 a Sugar 14 in. dia. bears 430 E 32 W. dir. &
 a Do 11 " " " N 60 W 9 " "
 Land on S. Side of River fully & uncared 2nd rate.
 on N. Side, a little rolling 1st rate. Timber
 Beech. Sugar. Lym. Oak. Ash. Elm. Hack-
 berry, Buckeye & ungt. Spruce. Pawpaw &c.

East on Random between Sect. 2 & 11

40.00 Let temp. gp. sec. post.
 80.10 Intersect N.W. line 64 W. S. of post.
 Land lent 2nd rate. Timber Beech. Sugar.
 Ash. Elm. Oak. Hickory. Some Poplar &
 Walnut & Norway Spruce &c.

West corner between Sect. 2 & 11 -

- 16.67 an Ash 12 in. dia.
 40.05 Set of Sec. Post at aruago dist. from which
 a Beech 10 in. dia. bears N 41 W 12 W. dist. }
 a Poplar 8 " " " S 11 E 33 " " }
 58.74 a B. Walnut 40 in. dia.
 80.10 To Sec. Corner.

North Between Sects 2 & 3

- 10.40 a W. Elm 14 in. dia.
 40.00 Set of Sec. Post from which
 a Beech 20 in. dia. bears S 58 E 14 W. dist. }
 a Do 12 " " " S 81 W 19 " " }
 67.30 a Sugar 12 " "
 88.46 Intersect N. Bound. line 190 W. of Post.
 where set Post on to Sects 2 & 3 from which
 a Beech 18 in. dia. bears S 13 E 34 W. dist. }
 a Do 11 " " " N 63 W 21 " " }
 Land a little rolling 2nd rate. Timber Beech.
 Sugar. Ash. Elm. Hickory. Oak & Cough
 Spruce. Ironwood Pawpaw &c
 June 23rd 1823 -

North Between Sects 33 & 34

- 18.61 a W. Elm 12 in. dia.
 40.00 Set of Sec. Post from which
 a Sugar 13 in. dia. bears S 55 E 15 W. dist. }
 a B. Oak 10 " " " N 71 W 18 " " }
 64.50 a Poplar 18 " "
 80.00 Set Post on to Sects 27-28-33 & 34 from which
 an Ironwood 5 in. dia. bears S 14 E 21 W. dist. }
 a Sycamore 11 " " " North 20 " " }
 Land level 2nd rate. Timber Beech. Sugar.
 Ash. Elm. Sycamore Hickory Oak &c along
 Spruce. F. Oak. Ironwood &c -

East on Random between Sects 27 & 34 -

40.00 Let temp. gr. Sec. Post
 58.00 Enter a thick Willow Swamp -
 66.00 Leave the Do
 80.63 Intersect M.S. line 54 Wt. S. of Post -
 Sand lent 2nd rate, Timber Beech. Ash.
 Elm. Oak. Hickory. Maple. Aspen &c
 ringth. P. Ash. Ironwood &c -

West corner between Secs 27 & 34
 22.38 a Maple 9 in. dia.
 40.31 Let gr. Sec. post at average dist. from which
 an Ironwood 5 in. dia. bears N 52 W 31 Wt. dist. 4
 a Bur Oak 24 " " " 470 E 15 " "
 67.14 a Hickory 22 " "
 80.63 To Sec. Corner.

North Between Secs 27 & 28.
 11.46 a Beech 12 in. dia.
 40.00 Let gr. Sec. Post from which
 a W. Oak 11 in. dia. bears East 11 Wt. dist. 4
 a Maple 14 " " " N 72 W 51 " "
 62.83 a Beech 12 " "
 80.00 Let Post ca. to Secs 21.22.27 & 28 from which
 a Sugar 14 in. dia. bears S 30 E 21 Wt. dist. 4
 a Beech 10 " " " N 52 W 39 " "
 Sand lent 2nd rate. Timber Beech. Oak. Ash.
 Elm. Hickory. Maple &c P. Ash. Ironwood &c

East on Random between Secs 22 & 27 -
 40.00 Let temp. gr. Sec. Post.
 80.56 Intersect M.S. line 50 Wt. S. of Post.
 Sand lent 2nd rate. Timber Beech. Ash. Elm &c
 ringth. Ironwood Hickory &c

West corner between Secs 22 & 27 -
 19.56 a B. Oak 11 in. dia.

T. D. N. R. G. E. 2nd Mer. Indian 117

40.28 Set gp. sec. post from which
 a Hickory 12 in. dia. bears N 13 W 27 W. dir. 8
 a Beech 11 " " " S 5 W 12 " "
 59.97 a Do 11 " "
 80.56 To Sec. corner.

North Return Sect. 21 & 22

15.14 a Sugar 12 in. dia.
 40.00 Set gp. sec. post from which
 a Bur Oak 10 in. dia. bears S 63 E 9 W. dir. 8
 a Hickory 11 " " " N 32 W 39 " "
 60.03 a B. Ash 16 " "
 62.00 Enter a Wet Prairie bordered with Willows
 75.00 Leave the Do.
 80.00 Set post cor. to Sect. 15. 16. 21 & 22 from which
 a B. Oak 18 in. dia. bears N 26 W 47 W. dir. 8
 an Ironwood 6 " " " S 5 E 8 " "
 Sand line 2nd rate. Part over. Timber Beech,
 Ash. Elm. Oak. Hickory. Maple & P. Ash. Ironwood.

East on Random between Sect. 15 & 22 -

20.00 Enter North Part of wet prairie
 23.00 Leave Do
 40.00 Set temp. gp. sec. post.
 80.58 Intersect Mt. line 24 W. S. of post -
 Sand line 2nd rate Timber as before -

West Corner between Sect. 15 & 22.

20.66 a Beech 11 in. dia.
 40.29 Set gp. sec. post at arrago dir. from which
 a Beech 12 in. dia. bears N 69 E 31 W. dir. 8
 a W. Ash 11 " " " S 69 W 29 " "
 60.43 an Aspen 10 " "
 80.58 To Sec. corner. June 24th 1823.

North Return Sect. 15 & 16 -

- 25.23 a Beech 10 in. dia.
 40.00 Set gp. sec. post from which
 a Beech 12 in. dia. bears South 44th dir.
 a Do 18 " " " N 12 E 49 " "
 61.57 a Do 10 " "
 80.00 Set post cor. to Secs. 9, 10, 15 & 16 from which
 a B. Oak 12 in. dia. bears 44th E 28th dir.
 a W. Oak 10 " " " N 18 W 9 " "
 Sand lent 2nd rate. Timber Beech, Ash, Elm
 Ye - ringth Ironwood, P. Ash &c

East on Random between Secs. 10 & 15 -

- 28.25 Bed of Brook 10th ends Corn. N.
 40.00 Set temp. gp. sec. post.
 80.82 Intersect Mt. line at post.
 Sand rolling 2nd rate. Timber Beech, Sugar,
 Ash, Elm, Oak, Hickory &c. Spec. Ironwood &c

West Corner between Secs. 10 & 15 -

- 16.40 a Hickory 24 in. dia.
 40.41 Set gp. sec. post at average dir. from which
 a W. Oak 11 in. dia. bears N 10 W 9th dir.
 a B. Oak 14 " " " South 29 " "
 65.29 a Beech 18 " "
 80.83 To Sec. Corner.

North between Secs. 9 & 10 -

- 13.50 a Beech 13 in. dia.
 40.00 Set gp. sec. post from which
 a Buckeye 9 in. dia. bears S 27 E 21th dir.
 a W. Elm 13 " " " N 8 E 9 " "
 64.58 a Beech 14 " "
 80.00 Set Post Cor. to Secs. 3, 4, 9 & 10 from which
 a Beech 18 in. dia. bears N 27 E 30th dir.
 a Do 11 " " " S 11 W 43 " "
 Sand rolling good 2nd rate. Timber Beech,

J. D. N. R. G. E. 2nd Mer. Indiana 119

Sugar. Ash. Elm. Oak. Hickory, Buckeye.
Lynx & Angth. Spruce. Pawpaw &c.

East on Random between Sect. 3 & 10 -
31.50 at Bayou 125 Wt. wide Course N.
36.50 Salamanic River
40.00 Set temp. gr. Sec. Post.
80.78 Intersect Mt. line 30 Wt. N. of Post.
Land & Timber Same as on the West line.

West Corner between Sect. 3 & 10 -
19.50 a W. Ash 18 in. dia.
40.39 Set gr. Sec. Post at average dist. on East bank
of Salamanic River. from which
a Hickory 9 in. dia. bears S 70 E 14 Wt. dist. of
a Buckeye 9 " " " N 52 W 50 "
44.56 over River & set post on W. Bank from which
a W. Elm 30 in. dia. bears N 54 E 9 Wt. dist. of
a W. Ash 7 " " " S 39 W 16 " "
64.43 at Bur Oak 22 " "
80.78 To Lee. Corner.

North Between Sect. 3 & 24 -
12.50 at Brook 20 Wt. wide Course East.
13.40 at Beech 10 in. dia.
18.45 Set post on S. bank of Salamanic River
a Buckeye 10 in. dia. bears S 44 W 27 Wt. dist. of
a Do 7 " " " N 37 E 5 " "
21.31 over River & set post on N. bank from which
a W. Oak 14 in. dia. bears N 79 E 21 Wt. dist. of
a Do 14 " " " S 85 W 32 " "
40.00 Set gr. Sec. Post from which
a Buckeye 9 in. dia. bears N 81 E 10 Wt. dist. of
a Do 4 " " " N 83 W 20 " "
67.30 at Beech 10 " "
76.50 Set post on S. bank of River from which -

at Buckeye 12 in. dia. bears N 20 E 3 W. dist. 8
 a Hackberry 5 " " " S 39 W 27 " "
 78.95 over River & set post on N. bank, from which
 an Elm 8 in. dia. bears S 36 W 31 W. dist. 8
 a Horny Locust 20 " " " N 12 W 31 " "
 88.30 Intersect N. Bound. line 268 W. W. of post
 where set post cor. to Sec. 3 & 4 from which
 at Buckeye 12 in. dia. bears N 15 E 37 W. dist. 8
 a Do 11 " " " N 14 W 40 " "
 Land rolling 1st rate. Timber Beech. Sugar.
 Ash. Elm, Oak. Hackberry. Buckeye &
 Angth Spice. Pawpaw &
 June 25th 1823.

North between Sec. 32 & 33.

21.30 at B. Oak 30 in. dia.

40.00 Set g. sec. post from which

at B. Oak 9 in. dia. bears N 45 W 8 W. dist. 8

a Do 24 " " " S 54 E 11 " "

64.30 a W. Oak 30 " "

80.00 Set post cor. to Sec. 28 29. 32 & 33 from which

a Hickory 6 in. dia. bears S 51 E 8 W. dist. 8

a B. Oak 24 " " " N W 23 " "

Land low, but apparently rich. Timber

B & W. Ash, Cottonwood, Aspen. Hickory.

Some Walnut & Angth Ash. P. Ash &

East on Random between Sec. 28 & 33

40.00 Set temp. g. sec. post.

80.24 Intersect N. line 72 W. N. of post.

Land mostly low & wet. Timber Ash. Elm.

Oak & Angth P. Ash. Ash &

West corner between Sec. 28 & 33.

20.45 at B. Oak 14 in. dia.

40.12 Set g. sec. post at angle dist. from which

T. D. N. R. G. E. 2nd Mer. Indiana. 121

a Hickory 8 in. dia. bears S 33 E 2 1/2 hrs. dir. N
a W. Elm 18 " " " N 30 W 18 " "
61.10 a Lycamaw 16 " "
80.14 To Sec. Corner.

North Return Secs. 28 & 29 -
20.90 a Beech 24 in. dia.
39.00 Enter a Whortleberry Swamp -
40.00 Set gp. sec. post from which
a B. Ash 8 in. dia. bears S 40 E 4 1/2 hrs. dir. N
a Willow 7 " " " N 36 W 10 " "
53.00 Leave the Swamp.
65.31 a W. Elm 14 in. dia.
76.00 Enter a Black Alder Swamp.
80.00 Set post ca. to Secs. 20, 21, 28 & 29 from which
a Cottonwood 16 in. dia. bears South 3 1/2 hrs. dir. N
a W. Ash 16 " " " N 18 E 17 " "
Sand a little rolling 2nd rate. Timber Oak,
Hickory, Ash & ungth. S. Ash. Spice. Pawpaw.

East and Random between Secs. 21 & 28 -
4.00 Leave the Swamp -
40.00 Set temp. gp. sec. post.
80.53 Intersect Mt. line 75 W. N. of post -
Sand lent 2nd rate. Timber Beech, Ash, Oak,
Hickory, Elm, Sugar & Spice. Pawpaw. Ground

West corner between Secs. 21 & 28 -
19.78 a Lycamaw 22 in. dia.
40.26 Set gp. sec. post from which
a Beech 11 in. dia. bears N 35 W 3 1/2 hrs. dir. N
a W. Elm 16 " " " S 29 E 35 " "
60.83 a Beech 12 " "
80.53 To Sec. Corner.

North Return Secs. 20 & 21 -

122 T. T. N. - R. G. E. 2nd Mer. Indiana.

2.00 Leave the Swamp
 21.05 at Beech 9 in. dia.
 40.00 Set gp. sec. post from which
 a Lyrus 12 in. dia. bears N 77 E 40 W. dist. 7
 at Beech 12 " " " S 72 W 37 " "
 56.12 a Sugar 24 " "
 80.00 Set post cor. to Secs. 16, 17, 20 & 21 from which
 a W. Elm 22 in. dia. bears N 76 W 36 W. dist. 7
 at Beech 18 " " " N 88 E 9 " "
 Land a little rolling, good 2nd rate. Timber
 Beech, Ash, Oak, Hickory, Sugar, Elm &c
 Long & Spice. Paw Paw &c -

East on Random between Secs. 16 & 21
 38.50 Enter a Swamp.
 40.00 Set temp. gp. sec. post.
 48.00 Leave the Swamp -
 80.48 Intersect N. W. line 80 W. N. of post
 Land & Timber same as on the last line.
 June 24th 1833

West corner between Secs. 16 & 21
 26.18 at Beech 18 in. dia.
 40.24 Set gp. sec. post at average dist. from which
 a W. Oak 18 in. dia. bears N 33 E 5 W. dist. 7
 a Maple 12 " " " S 36 W 22 " "
 61.90 at W. Oak 12 " "
 80.48 To Sec. Corner.

North between Secs. 16 & 17 -
 12.56 at Beech 14 in. dia.
 40.00 Set gp. sec. post from which
 at Beech 13 in. dia. bears N 45 W 11 W. dist. 7
 a Do - 11 " " " N 57 E 13 " "
 69.05 at B. Oak 20 " "
 80.00 Set post cor. to secs. 8, 9, 16 & 17 from which

T. D. N. - W. G. E. 2nd Mer. Indiana 123

a B. Oak 11 in. dia. bears N 71 E 39th dist. of
a Beech 8 " " " N 86 W 9 " "
Land lent 2nd rate, Timber Beech. Ash. Elm.
Oak. Hickory & Sugar th Spruce & fir

East on Random between Secs. 9 & 16.
30.00 a Stream 15th W. side Corn. N.

40.00 Set temp. g. sec. Post.

80.40 Intersect N.W. line 62th W. N. of Post.

Land rolling 2nd rate, Timber Beech. Sugar.
Ash. Elm. Oak. Hickory & Spruce & fir

West Correct between Secs. 9 & 16.

19.87 a Hickory 12 in. dia.

40.20 Set g. sec. Post at arrage dist. from which
a Beech 8 in. dia. bears N 61 W 22th dist. of
a Do 11 " " " S 33 E 19 " "

65.24 a Do 22 " "

80.40 To Sec. Corn.

North Between Secs. 8 & 9.

16.81 a Beech 14 in. dia.

40.00 Set g. sec. Post from which

a B. Oak 12 in. dia. bears N 71 E 5th dist. of

a W. Oak 11 " " " S 71 W 18 " "

62.95 a Sugar 16 " "

80.00 Set Post on to Sec. 4. S. 84th E from which

a Beech 13 in. dia. bears S 64 W 23th dist. of

a Do 12 " " " East 22 " "

Land lent 2nd rate, Timber Beech. Sugar.

Oak. Ash. Elm. Hickory & Sugar th Spruce & fir

East on Random between Secs. 4 & 9.

40.00 Set temp. g. sec. Post.

74.00 a Brook 15th W. side Corn. N.E.

80.12 Intersect N.W. line 64th W. N. of Post.

124 T. D. N. - N. G. E. Jrd Mer. Indiana.

Land rolling good Jrd rate. Timber Beech.
Sugar. Ash. Elm. Oak. Hickory. Walnut &
Longth Spruce. Ironwood Beech &c

West corner between Secs. 4 & 9 -

20.62 a Beech 14 in. dia.

40.06 Set of sec. post at average dist. from which
a Beech 30 in. dia. bears S 3 E 48 W. dist. 7
a Do 12 " " " N 84 W 25 " "

61.81 a Bur Oak 22 " "

80.12 To Sec. Corner.

North between Secs. 4 & 5

24.16 a Beech 11 in. dia.

40.00 Set of sec. post from which
a B. Oak 10 in. dia. bears S 70 W 33 W. dist. 7
a Dogwood 6 " " " N 36 E 12 " "

64.33 a Beech 12 " "

88.00 Intersect Round line 250 W. 47 N. of post -
when set post on West bank of Illamonic
Riv. Co. to Secs. 4 & 5 from which

a W. Oak 10 in. dia. bears S 37 W 15 W. dist. 7

a W. Ash 7 " " " N 35 E 39 " "

Land rolling Jrd rate. Timber Beech. Ash. Oak,
Elm. Hickory. Longth Spruce. Ironwood,
Hornbeam &c June 25th 1823.

North between Secs. 31 & 32

23.50 a Hickory 20 in. dia.

40.00 Set of sec. post from which
a W. Ash 8 in. dia. bears South 6 W. dist. 7
a W. Oak 36 " " " N 30 W 43 " "

53.89 a B. Oak 9 " "

80.00 Set post Co. to Sec. 29. 30. 31 & 32 from which
a W. Elm 9 in. dia. bears N 70 W 20 W. dist. 7
a Do 8 " " " S 38 E 5 " "

I. D. N. R. G. E. 2nd Mer. Indiana 125

Sand lent 2nd rate. Timber Oak. Ash. Hickory.
Elm &c. Angth. Spice. P. Ash &c

East with Random between Sec. 29 & 32 —

40.00 Set temp. g. sec. post.

54.00 Enter a Willow Swamp.

58.00 Leave the " "

80.30 Intersect N. line 113 M. N. of Post.

Sand lent 2nd rate. Timber Oak. Oak Aspen
Hickory &c Angth Spice. P. Ash. Pawpaw &c

West Corner between Sec. 29 & 32 —

20.68 a W. Elm 11 in. dia.

40.15 Set g. sec. post at average dir. from which
a B. Oak 9 in. dia. bears N 79° W 18 1/2° dist. 7
a Do 9 " " " S 29° E 19 " "

60.05 a W. Oak 3 1/4 " "

80.30 To Sec. corner.

West Between Sec. 30 & 31.

4.50 Enter a Willow Swamp.

10.00 Leave the do

18.95 a Hickory 11 in. dia.

40.00 Set g. sec. post from which
a Beech 12 in. dia. bears West 15 1/2° dist. 7
a Syc 28 " " " S 46° E 28 " "

64.03 a W. Ash 2 1/4 " "

74.08 Intersect N. Bound. line 196 M. N. of post
where set post Cu. to Sec. 30 & 31 from which
a W. Elm 20 in. dia. bears S 40° E 20 1/2° dist. 20
a W. Oak 3 1/2 " " " N 3° W 46 " "

Sand a little rolling 2nd rate. Timber Oak.
Ash. Hickory. Elm. Beech. Syc &c Angth
Spice. P. Ash. Pawpaw &c —

North Between Sec. 29 & 30.

T. D. N. R. G. E. 2nd Mer. Indiana

- 20.35 a B. Ash 9 in. dia.
 40.00 Set gp. sec. post from which
 a W. Ash 20 in. dia. base N 71 E 8 W. dir. N
 a Do 22 " " " " S 88 W 17 " "
 63.00 a B. Oak 24 " "
 80.00 Set post cor. to Sec. 19 20. 29 & 30 from which
 a Sugar 12 in. dia. base N 79 E 44 W. dir. N
 a B. Oak 36 " " " " N 33 W 14 " "
 Land generally rolling 2nd rate. Timber Ash.
 Oak. Beech. Hickory. Elm & sugar. Spice.
 P. Ash. Pawpaw &c

- East end Random between Sec. 20 & 29 -
 40.00 Set temp. gp. sec. post.
 80.60 Intersect N. line 94 W. N. of post.
 Land level 2nd rate. Timber Same as before

- West corner between Sec. 20 & 29 -
 13.50 a Bur Oak 40 in. dia.
 40.30 Set gp. sec. post from which
 a W. Elm 10 in. dia. base N 19 E 6 W. dir. N
 a Do 13 " " " " S 16 W 15 " "
 68.03 a Beech 14 " "
 80.60 To Sec. corner.

- West between Sec. 19 & 30.
 23.50 a W. Oak 26 in. dia.
 40.00 Set gp. sec. post from which
 a Poplar 16 in. dia. base N 45 E 9 W. dir. N
 a Beech 4 " " " " S 57 W 34 " "
 63.31 a Maple 11 " "
 74.14 Intersect N. Bound. line 317 W. S. of post.
 when set post cor. to Sec. 19 & 30 from which
 a Sugar 13 in. dia. base N 15 W 21 W. dir. N
 a Do 14 " " " " S 5 W 22 " "
 Land level 2nd rate. Part very swampy.

I. D. N. W. G. E. 2nd Mer. Indiana 127

Timber Beech. Oak. Ash. Elm. Hickory.
Syring. Maple &c. ring^d Spruce. P. Ash &c

North Between Secs. 19 & 20

27.00 a W. Elm 24 in. dia.

40.00 Set gp. sec. post from which
a Beech 20 in. dia. bears N 62 E 47 W. dist. 7
a Do 30 " " " West 26 " "

59.39 a Do 14 " "

80.00 Set post ca. to Secs. 17. 18. 19 & 20 fr. which
a W. Elm 10 in. dia. bears N 68 W 26 W. dist. 7
a Hickory 12 " " " N 87 E 19 " "
Land rolling good 2nd rate. Ash. Beech.
Oak. Sugar. Hickory. Syring. Some Walnut &c
ring^d Spruce. P. Ash &c.

East in Random between Secs. 17 & 20.

40.00 Set temp. gp. sec. post.

80.36 Intersect N. line 154 W. N. of post.
Land rolling rich. Timber Beech. Ash.
Oak. Hickory. Sugar. Elm &c ring^d
Spruce. P. Ash &c

West corner between Secs. 17 & 20.

20.95 a Beech 10 in. dia.

40.18 a Beech 6 in. dia. fr. gp. sec. corner.
a Sugar 16 " " " bears N 76 E 57 W. dist. 7
a Beech 16 " " " " N 71 W 33 " "

59.65 a Sugar 24 " "

80.36 To Sec. corner. Done 25th 1823.

West Between Secs. 18 & 19.

18.46 a Beech 10 in. dia.

40.00 Set gp. sec. post from which
a W. Ash 6 in. dia. bears N 45 W 3 W. dist. 7
a Hornbeam 6 " " " N 88 E 29 " "

T. 26 N. - R. 9 E. 2nd Mer. Indiana.

- 56.30 a Beech 12 in. dia.
 74.10 Intersect N. Bound. line 442 1/2 W. S. of Post.
 when set post on to Sec. 18 & 19 from which
 an Ironwood 5 in. dia. bears N 57 W 6 1/2 W. dist.
 a Beech 14 " " " N 40 E 35 " "
 Land level 2nd rate. Timber Beech, Sugar,
 Ash, Elm, Oak, Hickory & Spruce Ironwood &c
-

North Return Sec. 17 & 18.

- 12.40 Bed of a Stream 12 W. wide Course N.E.
 18.40 " " " do 12 " " " N.E.
 21.64 a W. Elm 16 in. dia.
 37.20 Bed of a Stream 15 W. wide Course East.
 40.00 Set of sec. post from which
 a Buckeye 9 in. dia. bears N 87 E 15 W. dist.
 a Beech 20 " " " N 47 W 17 " "
 68.00 Bed of a Stream 25 W. wide Course West.
 71.69 a W. Oak 38 in. dia.
 80.00 Set post on to Sec. 7, 8, 17 & 18 from which
 a Beech 10 in. dia. bears N 23 W 28 W. dist.
 a Do 24 " " " S 22 E 25 " "
 Land rolling good 2nd rate. Timber Beech,
 Sugar, Ash, Oak & Spruce. Pawpaw &c
-

East or Random between Sec. 8 & 17.

- 40.00 Set temp. of sec. post.
 80.68 Intersect N. S. line 101 W. S. of Post.
 Land level 2nd rate. Timber Beech, Sugar,
 Ash & ringed Spruce Ironwood &c
-

West Corner between Sec. 8 & 17.

- 22.70 a Bur Oak 12 in. dia.
 40.34 Set of sec. post at corner dist. from which
 an Ironwood 6 in. dia. bears S 30 W 13 W. dist.
 a Bur Oak 8 " " " N 51 E 28 " "
 63.46 a W. Elm 20 " "

I. D. N. - R. G. E. 2nd Mer. Indian ¹²⁹

80.68 To Sec. Corna.

West Between Secs. 7 & 18.

16.86 a Beech 12 in. dia.

17.50 a Brook 15 ft. wide Corn. N.W.

40.00 Set of sec. post from which
a Hickory 13 in. dia. bears North 16 ft. dist.
a Beech 12 " " " S 38 W 5 " "

57.22 a Hickory 20 " "

73.64 Intersect N. Bound. line 600 ft. S. of post.
where set post Ca. to Secs. 7 & 18 from which
an Ironwood 8 in. dia. bears N 10 W 16 ft. dist.
a W. Oak 22 " " " S 19 E 17 " "
Land rolling 2nd rate. Timber Beech. Sugar
Ash. Oak. Hickory. Elm & ^{ring} th ^{Office}.
Ironwood & June 26th 1893.

North Between Secs. 7 & 8

19.00 a Stream 30 ft. wide Corn. N.E.

20.75 a Buckeye 9 in. dia.

40.00 Set of sec. post from which
a Beech 16 in. dia. bears N 66 E 7 ft. dist.
a Buckeye 8 " " " N 21 W 14 " "

59.38 a W. Ash 22 " "

60.50 an Indian road Corn. E & W.

80.00 Set Post Ca. to Secs. 5, 6, 7 & 8 from which
a Beech 14 in. dia. bears N 21 W 36 ft. dist.
a Cherry 6 " " " S 48 E 19 " "

Land rolling good 2nd rate. Timber Beech,
Ash. Oak. Hickory. Sugar & ^{Office} &

East on Rand. between Secs. 5 & 8 -

12.24 a Stream 25 ft. wide Corn. N.

40.00 Set temp. of sec. post.

80.88 Intersect N. line 124 ft. N. of post.
Land rolling good 2nd rate. Beech. Ash.

T. D. N. - R. G. E. 2nd Mer. Indiana

Oak. Sugar & Spici. Ironwood & -

West Corner between Secs. 5 & 8 -

21.23 a Beech 10 in. dia.

40.44 Set of sec. post at average dist. from which
a Beech 10 in. dia. bears N 67 E 4 1/2 mi. dist.
an Ironwood 6 " " " S 30 W 23 " "

60.61 a Beech 24 " "

80.88 S. Sec. Corner.

West between Secs. 6 & 7 -

18.00 an Indian road corner N.W. & S.E.

26.36 a Hickory 12 in. dia.

40.00 Set of sec. post from which
a Beech 9 in. dia. bears S 75 W 24 1/2 mi. dist.
a B. Oak 26 " " " N 78 E 46 " "

55.68 a Sugar 144 " "

68.80 a stream 30 ft. wide corner N.

73.84 Intersect N. Bound. line 684 ft. S. of Post.
where set post cor. to Sec. 6 & 7 from which
a Beech 12 in. dia. bears S 74 W 30 1/2 mi. dist.
a Do 12 " " " East 23 " "
Land rolling Sth rate. Timber Beech, Ash,
Oak, Sugar, Hickory & Spici. Ironwood &

North between Secs. 5 & 6 -

35.70 a Poplar 36 in. dia.

39.50 Pond's Creek 30 ft. wide corner West.

40.00 Set of sec. post from which
a W. Walnut 8 in. dia. bears N 59 E 42 1/2 mi. dist.
a W. Elm 8 " " " N 47 E 38 " "

58.14 a W. Ash 26 " "

70.00 Pond's Creek 30 ft. wide corner N.

88.46 Intersect N. Bound. line 218 ft. N. of Post
where set post cor. to Sec. 5 & 6 from which
a Beech 10 in. dia. bears N 5 E 15 1/2 mi. dist.

T. B. N. - R. G. E. 3rd Mer. Indiana 131

a Sugar 24 in. dia. brass 14 E 19 1/2 in. dia.
Land a little broken, but rich. Timber
W. & Blue ash, Sugar Oak. Elm. Some
B. & W. Walnut. Hickory. Buckeye for
ringth. Spice. Ironwood. Hornbeam.
Buckeye. Pawpaw for
June 16th 1823

Meanders of Gallumanic River
Beginning at post in East. Sound.
on N.E. Side of River thence

Courses	Distances.	Remarks -
N 11 W	13.00	In Sec. 13
N 45 W	6.50	
N 25 W	15.00	
N 17 W	22.00	
N 24 E	13.00	Head of Bayou
N 7 E	10.00	
N 33 1/2 W	4.82	To post in line of sec. 12 & 13
N 25 W	48.00	In sec. 12
N 10 W	5.00	at 3.00 at brook 10 W. side.
N 46 W	5.00	
N 71 W	5.00	
N 68 W	5.00	Small bottom.
N 40 W	5.00	
S 33 E	5.00	
S 24 W	4.00	
S 39 W	17.00	(Went close at all)
N 57 W	9.00	
N 9 W	10.00	
N 28 E	10.00	
N 20 W	7.50	at 5.00 Point of Island.
N 59 W	7.00	Leave bottom.
N 58 W	3.57	To post in line of sec. 11 & 12 of Head of Island & bluffs

187th 4.00
 161th 7.00
 114th 12.00
 143th 11.00
 274th 6.00
 183th 4.00
 114th 4.00
 166th 9.00
 279th 7.00
 263th 19.00
 242th 17.00
 187th 5.14

In Sec. 11

at 5.00 Lean the Bluffs -

Lean bottom

at 10.00 Bayou & Lean bottom
To post in line of sec. 10 & 11

158th 8.00
 132th 7.00
 145th 3.00
 East 3.00
 136th 6.00
 14th 2.50
 114th 4.00
 137th 11.00
 173th 5.00
 West 15.00
 251th 15.00
 178th 9.00
 13th 7.50
 131th 6.00
 153th 2.00
 172th 6.00
 130th 5.12

In Sec. 10

at 4.50 mouth of Bayou

Rise bluffs

at 5.00 a small bottom

a Bayou

To post in line of sec. 3 & 10 -

117th 4.50
 145th 5.00
 165th 7.50
 155th 17.00
 189th 14.84

In Sec. 3 Rise Bluffs

To post in line of sec. 3 & 4 -

T. D. N. R. G. E. 2nd Mer. Indiana 133

177W 3.50	In Sec. 4 Lean Bluffs & enter small inundated bottom Head of an Island
285W 10.00	at 5.00 point of Island bottom dry.
184W 7.00	
162W 12.00	Lean bottom
132W 7.00	
North 15.50	
121E 6.00	
176E 4.00	
145E 15.50	
177E 5.00	
117E 5.00	
14E 6.50	
147E 5.00	
111W 4.50	
113W 4.00	
161W 8.00	
133W 5.00	
160E 4.00	
181E 13.00	
168½E 3.29	To post in line of sec. 3 & 4

172E 2.50	In Sec. 3 again -
143E 9.00	at 3.00 a stream 10 ft wide
125½W 5.03	To post in North Boundary
	March 3 rd 1883

Meanders of Salamanic River
Beginning at Post in North Bound.
Thence up stream on South bank -

Course	Distances	Remarks -
133E 4.00		In Sec. 3
140W 5.00		
134W 2.45		To post in line of sec. 3 & 4 -

N 86 N 12.00

In Sec. 4

N 87 N 6.50

N 58 N 4.00

N 8 E 3.00

N 22 E 12.50

N 87 E 4.50

N 4 E 5.50

N 32 N 6.00

N 7 N 8.00

N 85 N 3.00

N 30 N 10.00

N 72 N 7.00

N 60 N 8.00

N 10 N 13.00

N 6 E 12.00

N 42 E 11.00

N 65 E 12.00

N 80 E 10.00

N 77 E 10.94

Monday November 10th 1823 -

Rise high banks

at 5.75 a Spring branch

To post in line of sect. 3 & 4

N 83 E 16.00

In Sec 3 at 3.50 a stream ^{widg} 5th

N 59 E 25.00

N 14 N 3.71

To post in line of sect. 3 & 10

N 55 N 3.00

In Sec. 10

N 63 N 5.00

N 77 N 2.50

N 6 E 3.50

N 13 E 11.00

N 61 E 5.00

N 81 E 9.50

N 37 E 17.50

N 88 E 3.00

N 80 E 9.50

N 35 E 7.50

N 8 N 5.00

at 4.75 a stream 15th wide -

T. D. N. - 4 C. 9 E. 2nd Mer. Ind. 135

143 N	3.50	
165 N	6.00	
112 N	6.00	high banks
139 E	10.00	
165 E	6.00	
184 E	1.89	Topost in line of sec. 10 & 11
<hr/>		
East	5.00	In Sec. 11
177 E	4.50	
147 E	6.00	
115 E	6.00	
158 E	11.00	
171 E	14.00	
271 E	7.00	
251 E	7.00	at Brook 10 Wt wide & near high banks -
186 E	7.50	
154 E	12.00	
133 E	8.00	Lean high banks & enter bottom
North	7.00	
155 E	4.00	
189 E	4.44	Topost in line of sec. 11 & 12
<hr/>		
151 E	1.75	In Sec. 12
122 N	10.00	
18 E	10.50	
126 E	5.00	
163 E	7.50	
187 E	6.00	
160 E	18.00	(Not close at all)
18 E	6.00	
132 N	5.00	
149 E	5.00	
161 E	6.00	
124 E	5.00	
13 E	5.50	
133 $\frac{3}{4}$ E	43.10	Topost in line of sec. 12 & 13 -

S13 E 10.00	In Sec. 13.
S21 W 20.00	High banks
S19 E 28.00	
S34 E 15.00	
S15 E 13.24	To Post in line of sec. 13 & 24

S20 E 3.00	In Sec. 24
S32 E 3.00	To Post in East Boundary on South bank of Salamanic River 5.50 South from Cor. to Sec. 13 & 24 Bearings taken by J. F. Polk a W. Oak 12 S26 E 7 W. & a Do 11 N49 W 38 " -

Meanders of Salamanic River
in the N. W. Corner of Sec. 4. Beginning
at Post Cor. to Sec. 4 & 5 thence

Courses	Distances	Remarks
S63 E	5.00	
S86 E	5.00	
N74 E	3.50	2.00 a Spring -
N87 E	5.00	
N72 E	5.24	Intersect Town line between Towns 16 & 17 where Set Post Cor to frac. Sec. 4 & 33 from which an Oak 5 in. dia. bears S3 E 36 W. dir. & a Hornbeam 4 " " " S24 W 20 " -

Surveyed in 1823 by
J. F. Polk Sep. Sur.

T. 26 N. - R. 9 E. 2nd Mer. Indiana 137

I Certify that the foregoing transcript of the
Field Notes of Township 26 North. in Range
9 East of the 2nd Meridian. in Indiana,
has been compared with the original
in this office, and found to be correct.

Surveyor General's Office,
Cincinnati May 22nd 1843

William Hunter
Dep. Genl.